

DOCKET NO.: UPN-4566

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Charles L. Epstein et al.

Confirmation No.: 6011

Patent No.: 7,436,175 B2

Issued: October 14, 2008

Application No.: 10/538,361

Filing Date: October 20, 2005

**For: PRACTICE PULSE SYNTHESIS VIA THE DISCRETE INVERSE
SCATTERING TRANSFORM**

Commissioner for Patents
Attn: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR § 1.322 & 37 CFR § 1.323**

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent. The patent has **thirty-eight** errors; **thirty-seven** of which occurred through the fault of the Patent and Trademark Office, and **one** error was the fault of the applicant. Applicant's error occurred in good faith and are of a clerical or typographical nature, or minor character, and are not believed to constitute new matter or require examination.

Enclosed herewith please find a completed Certificate of Correction form.

- ☒ Please charge Deposit Account No. 23-3050 in the amount of **\$100.00**.
- ☐ A check in the amount of **\$100.00** is attached.
- ☒ The Commissioner is hereby authorized to charge any deficiency or credit any overpayment of the fees associated with this communication to Deposit Account No. 23-3050.

DOCKET NO.: UPN-4566

PATENT

Date: March 17, 2010

/Michael P. Dunnam/
Michael P. Dunnam
Registration No. 32,611

Woodcock Washburn LLP
Cira Centre
2929 Arch Street, 12th Floor
Philadelphia, PA 19104-2891
Telephone: (215) 568-3100
Facsimile: (215) 568-3439